

R22

压力 Kpa	压力 (bar/ 公斤)	压力 (PSI)	饱和温度 摄氏度
100	1	14.5	-41.091
150	1.5	21.75	-32.077
200	2	29	-25.177
250	2.5	36.25	-19.508
300	3	43.5	-14.654
350	3.5	50.75	-10.384
400	4	58	-6.5559
450	4.5	65.25	-3.0754
500	5	72.5	0.12398
550	5.5	79.75	3.0907
600	6	87	5.8611
650	6.5	94.25	8.4635
700	7	101.5	10.92
750	7.5	108.75	13.249
800	8	116	15.465
850	8.5	123.25	17.58
900	9	130.5	19.604
950	9.5	137.75	21.547
1000	10	145	23.415
1050	10.5	152.25	25.216
1100	11	159.5	26.953
1150	11.5	166.75	28.634
1200	12	174	30.261
1250	12.5	181.25	31.839
1300	13	188.5	33.371
1350	13.5	195.75	34.86
1400	14	203	36.308
1450	14.5	210.25	37.719
1500	15	217.5	39.095
1550	15.5	224.75	40.437
1600	16	232	41.748
1650	16.5	239.25	43.029
1700	17	246.5	44.281
1750	17.5	253.75	45.506
1800	18	261	46.706
1850	18.5	268.25	47.882
1900	19	275.5	49.034
1950	19.5	282.75	50.164
2000	20	290	51.273
2050	20.5	297.25	52.361
2100	21	304.5	53.43
2150	21.5	311.75	54.48
2200	22	319	55.512
2250	22.5	326.25	56.527
2300	23	333.5	57.526
2350	23.5	340.75	58.508
2400	24	348	59.475
2450	24.5	355.25	60.427
2500	25	362.5	61.364
2550	25.5	369.75	62.288

R410A

压力 Kpa	压力 (bar/ 公斤)	压力 (PSI)	饱和温度 摄氏度
100	1	14.5	-51.623
150	1.5	21.75	-43.327
200	2	29	-36.992
250	2.5	36.25	-31.795
300	3	43.5	-27.351
350	3.5	50.75	-23.448
400	4	58	-19.953
450	4.5	65.25	-16.779
500	5	72.5	-13.863
550	5.5	79.75	-11.162
600	6	87	-8.6425
650	6.5	94.25	-6.2773
700	7	101.5	-4.0464
750	7.5	108.75	-1.933
800	8	116	0.076381
850	8.5	123.25	1.993
900	9	130.5	3.8264
950	9.5	137.75	5.5844
1000	10	145	7.2741
1050	10.5	152.25	8.9013
1100	11	159.5	10.471
1150	11.5	166.75	11.988
1200	12	174	13.457
1250	12.5	181.25	14.879
1300	13	188.5	16.26
1350	13.5	195.75	17.602
1400	14	203	18.906
1450	14.5	210.25	20.176
1500	15	217.5	21.414
1550	15.5	224.75	22.621
1600	16	232	23.799
1650	16.5	239.25	24.949
1700	17	246.5	26.074
1750	17.5	253.75	27.174
1800	18	261	28.251
1850	18.5	268.25	29.305
1900	19	275.5	30.338
1950	19.5	282.75	31.351
2000	20	290	32.344
2050	20.5	297.25	33.319
2100	21	304.5	34.276
2150	21.5	311.75	35.215
2200	22	319	36.139
2250	22.5	326.25	37.047
2300	23	333.5	37.939
2350	23.5	340.75	38.817
2400	24	348	39.68
2450	24.5	355.25	40.531
2500	25	362.5	41.368
2550	25.5	369.75	42.192

R404A

压力 Kpa
100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550

2600	26	377	63.198
2650	26.5	384.25	64.095
2700	27	391.5	64.98
2750	27.5	398.75	65.852
2800	28	406	66.712
2850	28.5	413.25	67.561
2900	29	420.5	68.399
2950	29.5	427.75	69.226
3000	30	435	70.042

2600	26	377	43.004
2650	26.5	384.25	43.804
2700	27	391.5	44.592
2750	27.5	398.75	45.37
2800	28	406	46.136
2850	28.5	413.25	46.892
2900	29	420.5	47.638
2950	29.5	427.75	48.374
3000	30	435	49.101
3050	30.5	442.25	49.818
3100	31	449.5	50.525
3150	31.5	456.75	51.224
3200	32	464	51.914
3250	32.5	471.25	52.596
3300	33	478.5	53.27
3350	33.5	485.75	53.935
3400	34	493	54.593
3450	34.5	500.25	55.243
3500	35	507.5	55.885
3550	35.5	514.75	56.52
3600	36	522	57.148
3650	36.5	529.25	57.769
3700	37	536.5	58.383
3750	37.5	543.75	58.99
3800	38	551	59.591
3850	38.5	558.25	60.185
3900	39	565.5	60.773
3950	39.5	572.75	61.355
4000	40	580	61.93
4050	40.5	587.25	62.499
4100	41	594.5	63.063
4150	41.5	601.75	63.62
4200	42	609	64.172
4250	42.5	616.25	64.719
4300	43	623.5	65.259
4350	43.5	630.75	65.795
4400	44	638	66.324
4450	44.5	645.25	66.849
4500	45	652.5	67.368

2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
3500

获取更多资料

压力 (bar/ 公斤)	压力 (PSI)	饱和温度 摄氏度
1	14.5	-45.743
1.5	21.75	-36.982
2	29	-30.268
2.5	36.25	-24.747
3	43.5	-20.017
3.5	50.75	-15.855
4	58	-12.123
4.5	65.25	-8.73
5	72.5	-5.6105
5.5	79.75	-2.7181
6	87	-0.01728
6.5	94.25	2.5193
7	101.5	4.9135
7.5	108.75	7.1826
8	116	9.3411
8.5	123.25	11.401
9	130.5	13.372
9.5	137.75	15.262
10	145	17.08
10.5	152.25	18.831
11	159.5	20.52
11.5	166.75	22.153
12	174	23.734
12.5	181.25	25.266
13	188.5	26.753
13.5	195.75	28.198
14	203	29.603
14.5	210.25	30.971
15	217.5	32.303
15.5	224.75	33.603
16	232	34.872
16.5	239.25	36.111
17	246.5	37.322
17.5	253.75	38.506
18	261	39.665
18.5	268.25	40.8
19	275.5	41.912
19.5	282.75	43.001
20	290	44.07
20.5	297.25	45.118
21	304.5	46.147
21.5	311.75	47.157
22	319	48.149
22.5	326.25	49.124
23	333.5	50.082
23.5	340.75	51.024
24	348	51.95
24.5	355.25	52.862
25	362.5	53.759
25.5	369.75	54.641

R407C

压力 Kpa	压力 (bar/ 公斤)	压力 (PSI)	饱和温度 摄氏度
100	1	14.5	-36.897
150	1.5	21.75	-28.275
200	2	29	-21.688
250	2.5	36.25	-16.284
300	3	43.5	-11.664
350	3.5	50.75	-7.6052
400	4	58	-3.971
450	4.5	65.25	-0.67033
500	5	72.5	2.3605
550	5.5	79.75	5.168
600	6	87	7.7871
650	6.5	94.25	10.245
700	7	101.5	12.563
750	7.5	108.75	14.758
800	8	116	16.845
850	8.5	123.25	18.835
900	9	130.5	20.739
950	9.5	137.75	22.563
1000	10	145	24.317
1050	10.5	152.25	26.005
1100	11	159.5	27.633
1150	11.5	166.75	29.206
1200	12	174	30.728
1250	12.5	181.25	32.202
1300	13	188.5	33.632
1350	13.5	195.75	35.021
1400	14	203	36.372
1450	14.5	210.25	37.686
1500	15	217.5	38.966
1550	15.5	224.75	40.214
1600	16	232	41.432
1650	16.5	239.25	42.621
1700	17	246.5	43.782
1750	17.5	253.75	44.918
1800	18	261	46.029
1850	18.5	268.25	47.117
1900	19	275.5	48.182
1950	19.5	282.75	49.225
2000	20	290	50.248
2050	20.5	297.25	51.252
2100	21	304.5	52.236
2150	21.5	311.75	53.203
2200	22	319	54.152
2250	22.5	326.25	55.084
2300	23	333.5	56
2350	23.5	340.75	56.901
2400	24	348	57.786
2450	24.5	355.25	58.657
2500	25	362.5	59.514
2550	25.5	369.75	60.358

R134a

压力 Kpa
100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500

26	377	55.511
26.5	384.25	56.366
27	391.5	57.209
27.5	398.75	58.04
28	406	58.858
28.5	413.25	59.664
29	420.5	60.458
29.5	427.75	61.242
30	435	62.014
30.5	442.25	62.775
31	449.5	63.525
31.5	456.75	64.265
32	464	64.995
32.5	471.25	65.714
33	478.5	66.423
33.5	485.75	67.122
34	493	67.811
34.5	500.25	68.49
35	507.5	69.159

2600	26	377	61.188
2650	26.5	384.25	62.005
2700	27	391.5	62.81
2750	27.5	398.75	63.603
2800	28	406	64.384
2850	28.5	413.25	65.154
2900	29	420.5	65.912
2950	29.5	427.75	66.66
3000	30	435	67.397

获取更多资料 微信搜索 蓝领星球

压力 (bar/公 斤)	压力 (PSI)	饱和温度 摄氏度
1	14.5	-26.361
1.5	21.75	-17.132
2	29	-10.076
2.5	36.25	-4.2837
3	43.5	0.67206
3.5	50.75	5.0281
4	58	8.9306
4.5	65.25	12.477
5	72.5	15.735
5.5	79.75	18.754
6	87	21.572
6.5	94.25	24.217
7	101.5	26.713
7.5	108.75	29.078
8	116	31.327
8.5	123.25	33.473
9	130.5	35.526
9.5	137.75	37.495
10	145	39.388
10.5	152.25	41.21
11	159.5	42.969
11.5	166.75	44.669
12	174	46.315
12.5	181.25	47.909
13	188.5	49.457
13.5	195.75	50.96
14	203	52.422
14.5	210.25	53.846
15	217.5	55.233
15.5	224.75	56.586
16	232	57.906
16.5	239.25	59.195
17	246.5	60.456
17.5	253.75	61.689
18	261	62.895
18.5	268.25	64.076
19	275.5	65.234
19.5	282.75	66.368
20	290	67.481
20.5	297.25	68.572
21	304.5	69.644
21.5	311.75	70.696
22	319	71.73
22.5	326.25	72.745
23	333.5	73.744
23.5	340.75	74.726
24	348	75.692
24.5	355.25	76.642
25	362.5	77.577

R32

压力 Kpa	压力 (bar/公 斤)	压力 (PSI)	饱和温度 摄氏度	压力 Kpa
100	1	14.5	-51.909	100
150	1.5	21.75	-43.635	150
200	2	29	-37.323	200
250	2.5	36.25	-32.15	250
300	3	43.5	-27.731	300
350	3.5	50.75	-23.85	350
400	4	58	-20.378	400
450	4.5	65.25	-17.225	450
500	5	72.5	-14.331	500
550	5.5	79.75	-11.65	550
600	6	87	-9.1503	600
650	6.5	94.25	-6.8046	650
700	7	101.5	-4.5925	700
750	7.5	108.75	-2.4975	750
800	8	116	-0.50613	800
850	8.5	123.25	1.393	850
900	9	130.5	3.2092	900
950	9.5	137.75	4.9506	950
1000	10	145	6.624	1000
1050	10.5	152.25	8.2352	1050
1100	11	159.5	9.7896	1100
1150	11.5	166.75	11.291	1150
1200	12	174	12.745	1200
1250	12.5	181.25	14.153	1250
1300	13	188.5	15.52	1300
1350	13.5	195.75	16.847	1350
1400	14	203	18.138	1400
1450	14.5	210.25	19.395	1450
1500	15	217.5	20.619	1500
1550	15.5	224.75	21.813	1550
1600	16	232	22.978	1600
1650	16.5	239.25	24.116	1650
1700	17	246.5	25.229	1700
1750	17.5	253.75	26.317	1750
1800	18	261	27.382	1800
1850	18.5	268.25	28.425	1850
1900	19	275.5	29.447	1900
1950	19.5	282.75	30.448	1950
2000	20	290	31.431	2000
2050	20.5	297.25	32.395	2050
2100	21	304.5	33.341	2100
2150	21.5	311.75	34.271	2150
2200	22	319	35.184	2200
2250	22.5	326.25	36.082	2250
2300	23	333.5	36.965	2300
2350	23.5	340.75	37.834	2350
2400	24	348	38.688	2400
2450	24.5	355.25	39.529	2450
2500	25	362.5	40.358	2500
2550	25.5	369.75	41.173	

R290

2600	26	377	41.977
2650	26.5	384.25	42.769
2700	27	391.5	43.55
2750	27.5	398.75	44.32
2800	28	406	45.079
2850	28.5	413.25	45.828
2900	29	420.5	46.567
2950	29.5	427.75	47.296
3000	30	435	48.015
3050	30.5	442.25	48.726
3100	31	449.5	49.428
3150	31.5	456.75	50.121
3200	32	464	50.806
3250	32.5	471.25	51.482
3300	33	478.5	52.15
3350	33.5	485.75	52.811
3400	34	493	53.464
3450	34.5	500.25	54.11
3500	35	507.5	54.748

获取更多资料 微信搜索 蓝星地球

压力 (bar/公斤)	压力 (PSI)	饱和温度 摄氏度
1	14.5	-42.412
1.5	21.75	-32.818
2	29	-25.451
2.5	36.25	-19.382
3	43.5	-14.176
3.5	50.75	-9.5889
4	58	-5.4707
4.5	65.25	-1.7215
5	72.5	1.7287
5.5	79.75	4.931
6	87	7.9241
6.5	94.25	10.738
7	101.5	13.396
7.5	108.75	15.918
8	116	18.318
8.5	123.25	20.611
9	130.5	22.806
9.5	137.75	24.914
10	145	26.942
10.5	152.25	28.897
11	159.5	30.785
11.5	166.75	32.611
12	174	34.38
12.5	181.25	36.096
13	188.5	37.763
13.5	195.75	39.383
14	203	40.959
14.5	210.25	42.495
15	217.5	43.993
15.5	224.75	45.455
16	232	46.882
16.5	239.25	48.277
17	246.5	49.642
17.5	253.75	50.977
18	261	52.285
18.5	268.25	53.566
19	275.5	54.822
19.5	282.75	56.054
20	290	57.262
20.5	297.25	58.449
21	304.5	59.614
21.5	311.75	60.759
22	319	61.884
22.5	326.25	62.991
23	333.5	64.079
23.5	340.75	65.15
24	348	66.204
24.5	355.25	67.241
25	362.5	68.263

资料 微信搜索 蓝领星球

获取更多资料 微信搜索蓝领星球